



PCT/G B00/02704



INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 23 AUG 2000

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

GB00/02709

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.


Signed

Dated

03 AUG 2000

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference	FEMI/P20492GB		
2. Patent application number (The Patent Office will fill in this part)	15 JUL 1999	9916484.0	
3. Full name, address and postcode of the or of each applicant (underline all surnames)	Femcare Limited St Peter's Street Nottingham NG7 3EN United Kingdom Patents ADP number (if you know it) 446401003 Rdes If the applicant is a corporate body, give the country/state of its incorporation United Kingdom		
4. Title of the invention	SURGICAL CLIP		
5. Name of your agent (if you have one)	ERIC POTTER CLARKSON PARK VIEW HOUSE 58 THE ROPEWALK NOTTINGHAM NG1 5DD Patents ADP number (if you know it) 1305010 ✓		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day / month / year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:	YES		
a) any applicant named in part 3 is not an inventor; or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))			

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description 8

Claims(s) 2

Abstract 1

Drawing(s) 5

-
10. If you are also filing in any of the following, state how many against each item.

Priority Documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*) NO

Request for preliminary examination and search (*Patents Form 9/77*) NO

Request for substantive examination (*Patents Form 10/77*) NO

Any other documents
(please specify)

-
11. I/We request the grant of a patent on the basis of this application.

Signature *Eric Potter Clarkson*
ERIC POTTER CLARKSON

Date
14 July 1999

-
12. Name and daytime telephone number of person to contact in the United Kingdom 0115 9552211
-

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

SURGICAL CLIP

The present invention relates to surgical clips and more particularly to ligation clips.

5

During surgical procedures, it is often necessary to use several ligation clips. These can be inserted individually into a suitable applicator, but is more efficient if several clips can be loaded into an applicator preferably in a replaceable magazine.

10

The present invention has for a first object to provide a clip in particular suitable as a ligation clip which can be loaded into a relatively narrow diameter magazine for delivering such clips down a tube which may be inserted down a cannula.

15

During surgical procedures, ligation clips can be extensively used; several may be applied to various anatomical structures in the course of one operation.

20 State of the art clips are limited to the use on anatomical structures up to 5mm in diameter after which their effectiveness becomes impaired.

It is the object of this invention to provide a ligation clip that can be used on anatomical structures up to and in excess of 5mm in diameter.

25

In particular, the object of the invention is to provide a surgical clip that can be loaded into a dedicated applicator (incorporating a magazine) for delivery down a narrow cannula.

The increased effectiveness in dealing with larger structures will mean that the simpler clipping technique can be used instead of ligature sutures that require a longer training curve and take longer to apply thus simplifying the equipment required.

5

In addition the increased effectiveness of clipping means that only the smallest number of clips required needs to be used; this will reduce the degree of intervention necessary.

- 10 The dedicated applicator is designed in relation to the clip and is disclosed in co-pending application No....

The clip is designed to be able to be loaded into the magazine of the applicator shaft (in multiples of two to ten). The applicator shaft or barrel
15 incorporating different multiples of clips may be disposable.

The geometry of the upper jaw of the clip is critical when having to occlude anatomical structures greater than 5mm in diameter. The upper jaw must be able to withstand deformation whilst occluding a structure
20 until the upper jaw is safely within the confines of the latch (opposite end to the hinge).

In addition the geometry of the upper jaw also allows for the increased capacity for occlusion that is necessary when occluding larger structures.

25

If the cannula can be made to a large diameter then the design of the clip can be relatively simple but as the diameter of the cannula is reduced then the clip design must be more complex in order to be able to provide an elongate magazine to enable the clips firstly to be fed down the cannula,
30 secondly to be able to be openable once it has emerged from the magazine

and thirdly to be able to be lockable by the applicator to effect closure of a blood vessel. A mere enlargement of existing clip design may not achieve a satisfactory locking procedure for the enlarged clip.

- 5 It is an object of the present invention to provide a surgical clip which can occlude larger structures and also which can preferably be inserted into a narrow applicator for subsequent insertion down a narrow cannula.

10 In a specific example the cannula can be less than 7mm in diameter and in a preferred example it can be less than 5mm in diameter.

The present invention provides a surgical clip, the clip comprising an elongate upper jaw and an elongate lower jaw attached together at a first hinge end, the lower jaw being provided with latching means at an
15 opposite end to the hinge, the jaws being provided with a silicone rubber lining on either the upper or lower jaw, or both, and in which the upper jaw comprises a complex shape comprising a first substantially straight section adjacent to the hinge and a second arcuate shaped section adjoining the straight section.

20

In a preferred embodiment, the arcuate section comprises a third generally straight section adjacent to said curved section at the opposite end of the upper jaw to the large section said substantially straight section, when in the closed position of the clip interlocking under the latching section of the
25 lower jaw.

Embodiments of the present invention will now be described, by way of example with reference to the accompanying drawings in which:

Figure 1 shows an enlarged side elevation view of a first clip in accordance with the present invention, the figure also showing by way of comparison a side elevation view of a known sterilisation clip;

5

Figure 2 shows diagrammatically a longitudinal cross-section of a part of an applicator illustrating the portion of the clip of the present invention in a magazine section of the application and also in the operable position in which position the clip is closed, as illustrated,

10

Figures 3 to 5 diagrammatically illustrate the advantageous design of the clip of the present invention during closure,

15

Figure 6 shows an enlarged side elevation view of a second clip in accordance with the present invention,

20

Figure 7 shows a cross sectional view on line 'A-A' of Figure 6 illustrating the cross sectional shape of the silicone rubber lining of the upper jaw of the clip,

25

Figure 8 shows a cross sectional view on line 'B-B' of Figure 6 illustrating the cross sectional shape of the silicone rubber lining of the lower jaw of the clip,

Figure 9 shows a detail of the end, closure section of the upper jaw of the clip of Figure 6 and

30

Figure 10 shows the upper jaw of the clip of figure 6 in greater detail.

With reference to Figure 1, a clip 10 according to the present invention is shown in side elevation.

- 5 The clip comprises an upper jaw section 12 and a lower jaw section 14. The lower jaw section 14 has a latch portion 16 at one end a hinge portion 18 at the other end.

The upper jaw 12 is hinged by a hinge pin 20 to the lower jaw.

10

The upper jaw 12 comprises at least two shaped sections. A first section 120 comprises a relatively straight short section and the second section 122 comprises a relatively gently curved section.

- 15 A third section 124 comprising a co-operating latch portion may be provided at the end of the upper jaw opposite to the hinge 18.

20 In a practical clip (see Figure 2) one or both jaws 12, 14 will be provided with a silicone rubber lining but this is not shown in Figure 1 for ease of viewing.

The jaw 12 is shown in a second position 12' to illustrate movement of the jaw which is further illustrated in Figure 2.

- 25 By way of contrast, a known sterilisation clip 30 (the Filshie clip) is shown in Figure 1 having a bottom jaw 34 and top jaw 32 and using the same hinge 18. The latch portion 36 can be seen to be substantially nearer to the hinge 18 than the latch portion 16 of the clip according to the present invention.

30

The top jaw 32 is as shown a substantially constant curve.

The advantage of the clip design according to the present invention is that the straight section and shallow curve allows the clip (see Figure 2) to pass down (or be fed down) a relatively narrow diameter (H) tube and also to then open to provide an opening (capture) width W which is substantially greater than the height H even with the presence of the silicone rubber lining 40.

10 The straight section 120 in combination with the shallow curve section operates in a manner which is particularly advantageous with a slightly longer clip. The original Filshie clip provides an overall clip length of approximately 14mm but the new clip can be 16mm or greater.

15 If the original clip design were to be made longer then the upper jaw would be a longer arcuate curve. When pressure is applied to this curve, the upper jaw will deform but the combination of longer jaw and the silicone lining may cause the upper jaw end section 124 to either completely fail to enter under the latch section 16 (Fig 4) or possibly to meet against the end position 160 (Fig 3) and not slide under the latch.

20 In the first case, the surgeon will be aware that the clip has failed but in the second case Fig 3 the surgeon may assume that correct closure has occurred but the clip will fail at a later stage due to the pressure exerted by the silicone rubber lining after the operation has been completed.

25 With the present design of the upper jaw, with the initial straight section it can be seen in Figure 5 that the jaw when distorted by the applicator fits within the latch because the initial closing pressure is on the straight section and thus the initial pressure does not distort the curved section

until the end portion 124 (Fig 1) has been depressed towards the lower jaw 14.

Figure 6 shows an alternative design clip 60 comprising a lower jaw 622 and an upper jaw 642. As in Figure 1 the lower jaw comprises a hinge portion 620 an elongate relatively straight portion 622 and a latch portion 624.

The upper jaw 642 comprises four separate straight and arcuate sections. A first substantially straight portion 640, a second arcuate portion 642 having a radius RX (Figure 10) and a third arcuate portion 646 having a radius RY (Figure 10) and a fourth substantially straight section 646.

At the distal end from hinge section 620 the portion 646 is provided to latch under lip 626.

The clip 60 is preferably lined with silicone rubber linings 628 and 648 respectively attached to the lower and upper jaws 622, 642.

The profiles of the linings 628, 648 are shown respectively in Figures 7 and 8 and comprise a sinusoidal shape on the internal surface. This shape provides the desired property of the silicone rubber lining of being able to grip the vessel to be occluded whilst still being able to exert the necessary occlusion force when the clip has been closed.

With reference now to Figure 9 the end section 646 (Fig 6) of the upper jaw comprises a relatively short straight section and the silicone rubber lining is provided with a tongue 6480 which is relatively thin in comparison with the rest of the lining 648.

The tongue 6480 serves to initially capture the vessel to be occluded providing in effect an extension to the upper jaw. Because the tongue 6480 is relatively thin it is readily squashed into the silicone rubber lining 628 of the lower jaw thereby not preventing closure of the clip.

5

With reference now to figure 10 in order to effect satisfactory closure of the clip whilst allowing the clip to pass down a relatively small diameter tube the upper jaw of the clip is provided with a first substantially straight portion 640 at the proximal end nearest the hinge as in the embodiment of

10 Figure 1.

In this embodiment the upper jaw is then provided with two arcuate sections 642 and 644.

15 Arcuate section 642 has a radius of curvature RX much larger than that of section 644 (R2). In a specific embodiment the radius of arcuate of RX is 11.9mm and that of RY is 4.6mm.

20 The use of two different radii in combination with the straight section allows the clip in this embodiment to be fed down a small diameter tube in a semi closed position to be openable at the end of the tube and to then be latched without risk of the upper jaw being distorted when the latching pressure is applied.

CLAIMS

1. A surgical clip, the clip comprising an elongate upper jaw and an elongate lower jaw attached together at a first hinge end, the lower jaw being provided with catching means at an opposite end to the hinge, the jaws being provided with a section rubber lining on either the upper or lower jaw, and in which the upper jaw comprises a complex shape comprising a first substantially straight section adjacent to the hinge and a second arcuate shaped section adjoining the straight section.

2. A surgical clip as claimed in Claim 1, in which the arcuate section comprises a third generally straight section adjacent to said curved section at the opposite end of the upper jaw to the large section said generally straight section, when in the closed position of the clip interlocking under the latching section of the lower jaw.

3. A surgical clip as claimed in claim 1 or claim 2 on which the second arcuate shaped section comprises a first portion adjacent to said substantially straight section and a second portion adjacent to said first portion at an opposite end of said first portion to said substantially straight section said first portion having a first radius of curvature substantially greater than said second portion which has a second radius of curvature.

4. A surgical clip as claimed in claim 3 in which said first radius of curvature is of the order of three times that of the second radius of curvature.

4. A surgical clip substantially as described with reference to the accompanying drawings.

Abstract

Figure 1

5

10 A surgical clip comprises an upper jaw and a lower jaw, a section lining, and includes a complex shape for the upper jaw comprising a first generally straight section and a second shallow curved section thereby enabling the clip to be inserted down a narrow magazine tube and to be able to be operable into a wide capture opening to capture larger vessels and then closed into a latched position on application of force the relatively straight section and then to the shallow curved section.

THIS PAGE BLANK (USPTO)

Mk II
LIGATION CLIP.





THIS PAGE BLANK (USPTO)

MAJOR CLAIM.

Provisional

66-11111



INCLINED
DUCK TUBE WITHIN
DUCK OUTER BARRIER.

Fig 2

known

Pen can be at

THIS PAGE BLANK (USPTO)




Fig 3



Fig 5




Fig 4

THIS PAGE BLANK (USPTO)




Fig 6




Fig 7






Fig 8

THIS PAGE BLANK (USPTO)



PCT/GS00/02709

Eric Potter Clarkson

26/7/00
